



ANDHRA PRADESH POLLUTION CONTROL BOARD
D.No. 33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamavari Street, Kasturibaipet, Vijayawada - 520010
Website: www.appcb.ap.nic.in

Order No. APPCB/VJA/VJA/226/HO/CFO/2017

Date: 01.11.2017

AUTO RENEWAL OF CONSENT ORDER AND AUTHORISATION

In response to your application dated 03.10.2017 for Auto Renewal of Consent order and Authorisation, the Board is hereby extending validity period of Consent order and Authorisation given under sections 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 and 21 of the Air (Prevention and Control of Pollution) Act, 1981, and Authorisation under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 issued vide APPCB consent order No. APPCB/VJA/VJA/226/HO/CFO/2017, dated 12.01.2017 valid up to 30.11.2017, for further period up to 31.05.2021.

All the conditions mentioned in Scheduled A, B & C of the Consent order and Authorisation issued by the Board vide order dated 12.01.2017 will remain same. The industry shall also comply with the following conditions:

1. The industry shall comply with standards and directions issued by CPCB / MoEF&CC as and when notifications are issued.
2. The industry shall comply with relevant rules stipulated under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 issued by MoEF&CC notification G.S.R. No. 395 [E] dated 04.04.2016.
3. The industry shall submit compliance report on the conditions mentioned in the consent order every six months i.e., on 1st of January & July of every year to the Regional Office/ Zonal Office.

Sd/-


MEMBER SECRETARY
For A.P. POLLUTION CONTROL BOARD

Dated: 01.11.2017

To

The Occupier,
M/s. The KCP Limited, (Cement Unit - II),
Rama Krishnapuram, Muktyala (V),
Jaggiahpet (M), Krishna District - 521 457, A.P
E-mail: gvk@kcp.co.in/rkpuram@kcp.co.in

//T.C.F.B.O//


Senior Environmental Engineer
✓ (UH: IV)